

Table of Contents

M-SERIES DELUXE WALL-MOUNTED	2
MSZ-FE	2
MSZ-FH	2
MSZ-FS	3
M-SERIES PREMIER WALL-MOUNTED	4
MSZ-GE	4
MSZ-GL	4
MSZ-GS	5
M-SERIES WHITE/SILVER/BLACK DESIGNER WALL-MOUNTED	6
MSZ-EF	6
M-SERIES FLOOR-MOUNTED/STANDING	7
MFZ-KA	7
MFZ-KJ	7
M-SERIES 2'X2' 4-WAY CEILING CASSETTE	8
SLZ-KA	8
SLZ-KF	8
M-SERIES EZ FIT® RECESSED CEILING CASSETTE	9
MLZ-KP/KY	9
M-SERIES LOW STATIC DUCTED	10
SEZ-KD	10
M-SERIES MULTI-POSITION	11
MVZ-AA7	11
SVZ-KP	11
P-SERIES 3'X3' CEILING CASSETTE	12
PLA-BA	12
PLA-EA7	12
P-SERIES CEILING-SUSPENDED	13
PCA-KA7	13
P-SERIES HORIZONTAL MID STATIC DUCTED	14
PEAD-AA7(8)	14
P-SERIES Intelli-HEAT™ CASED COIL	15
PAA-(A/B/C)A1	15
BRANCH BOX	16

M-SERIES DELUXE WALL-MOUNTED

MSZ-FE

Outdoor Unit/Indoor Unit			MSZ-FE09NA	MSZ-FE12NA	MSZ-FE18NA
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	
		3C24NA(2/3/4)	OK	OK	
		3C30NA(2/3/4)	OK	OK	
		4C36NA(2/3/4)	OK	OK	
		5C42NA(2)	OK	OK	
		8C48NA(2)	OK	OK	
		8C60NA(2)	OK	OK	
		2C20NAHZ(2/3/4)	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	
		3C30NAHZ(2/3/4)	OK	OK	
		4C36NAHZ(2)	OK	OK	
		5C42NAHZ(2)	OK	OK	
		8C48NAHZ(2)	OK	OK	
		SMART MULTI	SM36NAM(2)	OK	OK
	SM48NAM(2)		OK	OK	
	SM60NAM(2)		OK	OK	
	SM36NAMHZ(2)		OK	OK	
	SM42NAMHZ(2)		OK	OK	
SM48NAMHZ(2)	OK		OK		

MSZ-FH

Outdoor Unit/Indoor Unit			MSZ-FH06NA	MSZ-FH09NA	MSZ-FH12NA	MSZ-FH15NA	MSZ-FH18NA	MSZ-FH18NA2
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	OK		
		3C24NA(2/3/4)	OK	OK	OK	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK	OK	OK	OK
		5C42NA(2)	OK	OK	OK	OK	OK	OK
		8C48NA(2)	OK	OK	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	OK		
		3C24NAHZ(2/3/4)	OK	OK	OK	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK	OK	OK
		8C48NAHZ(2)	OK	OK	OK	OK	OK	OK
		SMART MULTI	SM36NAM(2)	OK	OK	OK	OK	OK
	SM48NAM(2)		OK	OK	OK	OK	OK	OK
	SM60NAM(2)		OK	OK	OK	OK	OK	OK
	SM36NAMHZ(2)		OK	OK	OK	OK	OK	OK
	SM42NAMHZ(2)		OK	OK	OK	OK	OK	OK
SM48NAMHZ(2)	OK		OK	OK	OK	OK	OK	

M-SERIES DELUXE WALL-MOUNTED

MSZ-FS

Outdoor Unit/Indoor Unit		MSZ-FS06NA	MSZ-FS09NA	MSZ-FS12NA	MSZ-FS15NA	MSZ-FS18NA
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	OK
		3C24NA(2/3/4)	OK	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK	OK
		5C42NA(2)	OK	OK	OK	OK
		8C48NA(2)	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	OK
		3C24NAHZ(2/3/4)	OK	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK
		8C48NAHZ(2)	OK	OK	OK	OK
		SMART MULTI	SM36NAM(2)	OK	OK	OK
	SM48NAM(2)		OK	OK	OK	OK
	SM60NAM(2)		OK	OK	OK	OK
	SM36NAMHZ(2)		OK	OK	OK	OK
	SM42NAMHZ(2)		OK	OK	OK	OK
SM48NAMHZ(2)	OK		OK	OK	OK	

M-SERIES PREMIER WALL-MOUNTED

MSZ-GE

Outdoor Unit/Indoor Unit		MSZ-GE06NA	MSZ-GE09NA	MSZ-GE12NA	MSZ-GE15NA	MSZ-GE18NA	MSZ-GE24NA	
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	OK		
		3C24NA(2/3/4)	OK	OK	OK	OK		
		3C30NA(2/3/4)	OK	OK	OK	OK	OK	
		4C36NA(2/3/4)	OK	OK	OK	OK	OK	OK
		5C42NA(2)	OK	OK	OK	OK	OK	OK
		8C48NA(2)	OK	OK	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	OK		
		3C24NAHZ(2/3/4)	OK	OK	OK	OK	OK	
		3C30NAHZ(2/3/4)	OK	OK	OK	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK	OK	OK
	8C48NAHZ(2)	OK	OK	OK	OK	OK	OK	
	SMART MULTI	SM36NAM(2)	OK	OK	OK	OK	OK	OK
		SM48NAM(2)	OK	OK	OK	OK	OK	OK
		SM60NAM(2)	OK	OK	OK	OK	OK	OK
		SM36NAMHZ(2)	OK	OK	OK	OK	OK	OK
		SM42NAMHZ(2)	OK	OK	OK	OK	OK	OK
SM48NAMHZ(2)		OK	OK	OK	OK	OK	OK	

MSZ-GL

Outdoor Unit/Indoor Unit		MSZ-GL06NA	MSZ-GL09NA	MSZ-GL12NA	MSZ-GL15NA	MSZ-GL18NA	MSZ-GL24NA	
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	OK		
		3C24NA(2/3/4)	OK	OK	OK	OK	OK	
		3C30NA(2/3/4)	OK	OK	OK	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK	OK	OK	OK
		5C42NA(2)	OK	OK	OK	OK	OK	OK
		8C48NA(2)	OK	OK	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	OK		
		3C24NAHZ(2/3/4)	OK	OK	OK	OK	OK	
		3C30NAHZ(2/3/4)	OK	OK	OK	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK	OK	OK
	8C48NAHZ(2)	OK	OK	OK	OK	OK	OK	
	SMART MULTI	SM36NAM(2)	OK	OK	OK	OK	OK	OK
		SM48NAM(2)	OK	OK	OK	OK	OK	OK
		SM60NAM(2)	OK	OK	OK	OK	OK	OK
		SM36NAMHZ(2)	OK	OK	OK	OK	OK	OK
		SM42NAMHZ(2)	OK	OK	OK	OK	OK	OK
SM48NAMHZ(2)		OK	OK	OK	OK	OK	OK	

M-SERIES PREMIER WALL-MOUNTED

MSZ-GS

Outdoor Unit/Indoor Unit		MSZ-GS06NA	MSZ-GS09NA	MSZ-GS12NA	MSZ-GS15NA	MSZ-GS18NA	MSZ-GS24NA
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	OK	
		3C24NA(2/3/4)	OK	OK	OK	OK	
		3C30NA(2/3/4)	OK	OK	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK	OK	OK
		5C42NA(2)	OK	OK	OK	OK	OK
		8C48NA(2)	OK	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK	OK
	8C48NAHZ(2)	OK	OK	OK	OK	OK	
	SMART MULTI	SM36NAM(2)	OK	OK	OK	OK	OK
		SM48NAM(2)	OK	OK	OK	OK	OK
		SM60NAM(2)	OK	OK	OK	OK	OK
		SM36NAMHZ(2)	OK	OK	OK	OK	OK
		SM42NAMHZ(2)	OK	OK	OK	OK	OK
SM48NAMHZ(2)		OK	OK	OK	OK	OK	

M-SERIES WHITE/SILVER/BLACK DESIGNER WALL-MOUNTED

MSZ-EF

Outdoor Unit/Indoor Unit		MSZ-EF09NA(W/B/S)	MSZ-EF12NA(W/B/S)	MSZ-EF15NA(W/B/S)	MSZ-EF18NA(W/B/S)	
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	
		3C24NA(2/3/4)	OK	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK	OK
		5C42NA(2)	OK	OK	OK	OK
		8C48NA(2)	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK
	8C48NAHZ(2)	OK	OK	OK	OK	
	SMART MULTI	SM36NAM(2)	OK	OK	OK	OK
		SM48NAM(2)	OK	OK	OK	OK
		SM60NAM(2)	OK	OK	OK	OK
		SM36NAMHZ(2)	OK	OK	OK	OK
		SM42NAMHZ(2)	OK	OK	OK	OK
SM48NAMHZ(2)		OK	OK	OK	OK	

M-SERIES FLOOR-MOUNTED/STANDING

MFZ-KA

Outdoor Unit/Indoor Unit		MFZ-KA09NA	MFZ-KA12NA	MFZ-KA18NA	
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	
		3C24NA(2/3/4)	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK
		5C42NA(2)	OK	OK	OK
		8C48NA(2)	OK	OK	OK
		8C60NA(2)	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK
		8C48NAHZ(2)	OK	OK	OK
		SMART MULTI	SM36NAM(2)	OK	OK
	SM48NAM(2)		OK	OK	OK
	SM60NAM(2)		OK	OK	OK
	SM36NAMHZ(2)		OK	OK	OK
	SM42NAMHZ(2)		OK	OK	OK
SM48NAMHZ(2)	OK		OK	OK	

MFZ-KJ

Outdoor Unit/Indoor Unit		MFZ-KJ09NA	MFZ-KJ12NA	MFZ-KJ15NA	MFZ-KJ18NA	
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	
		3C24NA(2/3/4)	OK	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK	OK
		5C42NA(2)	OK	OK	OK	OK
		8C48NA(2)	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK
		8C48NAHZ(2)	OK	OK	OK	OK
		SMART MULTI	SM36NAM(2)	OK	OK	OK
	SM48NAM(2)		OK	OK	OK	OK
	SM60NAM(2)		OK	OK	OK	OK
	SM36NAMHZ(2)		OK	OK	OK	OK
	SM42NAMHZ(2)		OK	OK	OK	OK
SM48NAMHZ(2)	OK		OK	OK	OK	

M-SERIES 2'X2' 4-WAY CEILING CASSETTE

SLZ-KA

Outdoor Unit/Indoor Unit		SLZ-KA09NA	SLZ-KA12NA	SLZ-KA15NA	
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	
		3C24NA(2/3/4)	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK
		5C42NA(2)	OK	OK	OK
		8C48NA(2)	OK	OK	OK
		8C60NA(2)	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK
		8C48NAHZ(2)	OK	OK	OK
		SMART MULTI	SM36NAM(2)	OK	OK
	SM48NAM(2)		OK	OK	OK
	SM60NAM(2)		OK	OK	OK
	SM36NAMHZ(2)		OK	OK	OK
	SM42NAMHZ(2)		OK	OK	OK
SM48NAMHZ(2)	OK		OK	OK	

SLZ-KF

Outdoor Unit/Indoor Unit		SLZ-KF09NA	SLZ-KF12NA	SLZ-KF15NA	SLZ-KF18NA
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	
		3C24NA(2/3/4)	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK
		5C42NA(2)	OK	OK	OK
		8C48NA(2)	OK	OK	OK
		8C60NA(2)	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK
		8C48NAHZ(2)	OK	OK	OK
		SMART MULTI	SM36NAM(2)	OK	OK
	SM48NAM(2)		OK	OK	OK
	SM60NAM(2)		OK	OK	OK
	SM36NAMHZ(2)		OK	OK	OK
	SM42NAMHZ(2)		OK	OK	OK
SM48NAMHZ(2)	OK		OK	OK	

M-SERIES EZ FIT® RECESSED CEILING CASSETTE

MLZ-KP/KY

Outdoor Unit/Indoor Unit		MLZ-KY06NA	MLZ-KP09NA(2)	MLZ-KP12NA(2)	MLZ-KP18NA(2)	
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	
		3C24NA(2/3/4)	OK	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK	OK
		4C36NA(2/3/4)	OK	OK	OK	OK
		5C42NA(2)	OK	OK	OK	OK
		8C48NA(2)	OK	OK	OK	OK
		8C60NA(2)		OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK	OK
		4C36NAHZ(2)	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK
		8C48NAHZ(2)	OK	OK	OK	OK
		SMART MULTI	SM36NAM(2)	OK	OK	OK
	SM48NAM(2)		OK	OK	OK	OK
	SM60NAM(2)			OK	OK	OK
	SM36NAMHZ(2)		OK	OK	OK	OK
	SM42NAMHZ(2)		OK	OK	OK	OK
	SM48NAMHZ(2)		OK	OK	OK	OK

M-SERIES LOW STATIC DUCTED

SEZ-KD

Outdoor Unit/Indoor Unit		SEZ-KD09NA	SEZ-KD12NA	SEZ-KD15NA	SEZ-KD18NA	
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK	
		3C24NA(2/3/4)	OK	OK	OK	OK
		3C30NA(2/3/4)	OK	OK	OK	OK
		4C36NA2(3)	OK	OK	OK	OK
		5C42NA2(3)	OK	OK	OK	OK
		8C48NA(2) ^{1,3}	OK	OK	OK	OK
		8C60NA(2) ^{2,3}	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK	
		3C24NAHZ(2/3/4)	OK	OK	OK	OK
		3C30NAHZ(2/3/4)	OK	OK	OK	OK
		4C36NAHZ(2) ^{1,3}	OK	OK	OK	OK
		5C42NAHZ(2) ^{1,3}	OK	OK	OK	OK
		8C48NAHZ(2) ^{1,3}	OK	OK	OK	OK
		SMART MULTI	SM36NAM(2) ^{1,3}	OK	OK	OK
	SM48NAM(2) ^{1,3}		OK	OK	OK	OK
	SM60NAM(2) ^{2,3}		OK	OK	OK	OK
	SM36NAMHZ(2) ^{1,3}		OK	OK	OK	OK
	SM42NAMHZ(2) ^{1,3}		OK	OK	OK	OK
	SM48NAMHZ(2) ^{1,3}		OK	OK	OK	OK

¹ A branch box can only have a maximum of 3 SEZ units. If 3 SEZ units are connected to the 1 branch box, then additional units cannot be connected to the same branch box

² A branch box can only have a maximum of 2 SEZ units. When connecting any number of SEZ units, the total connected capacity should not exceed 100%

³ Please refer to Application Note 1039 for more information and exceptions to these rules

M-SERIES MULTI-POSITION

MVZ-AA7¹

Outdoor Unit/Indoor Unit		MVZ-A12AA7	MVZ-A18AA7	MVZ-A24AA7	MVZ-A30AA7	MVZ-A36AA7	
MXZ-	C-Series	2C20NA(2/3/4)	OK				
		3C24NA(2/3/4)	OK	OK			
		3C30NA(2/3/4)	OK	OK	OK		
		4C36NA(2/3/4)	OK	OK	OK		
		5C42NA(2)	OK	OK	OK		
		8C48NA(2)	OK	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK				
		3C24NAHZ(2/3/4)	OK	OK			
		3C30NAHZ(2/3/4)	OK	OK	OK		
		4C36NAHZ(2)	OK	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK	OK
	8C48NAHZ(2)	OK	OK	OK	OK	OK	
	SMART MULTI	SM36NAM(2)	OK	OK	OK	OK	OK
		SM48NAM(2)	OK	OK	OK	OK	OK
		SM60NAM(2)	OK	OK	OK	OK	OK
		SM36NAMHZ(2)	OK	OK	OK	OK	OK
		SM42NAMHZ(2)	OK	OK	OK	OK	OK
SM48NAMHZ(2)		OK	OK	OK	OK	OK	

SVZ-KP¹

Outdoor Unit/Indoor Unit		SVZ-KP12NA	SVZ-KP18NA	SVZ-KP24NA	SVZ-KP30NA	SVZ-KP36NA	
MXZ-	C-Series	2C20NA(2/3/4)	OK				
		3C24NA(2/3/4)	OK	OK			
		3C30NA(2/3/4)	OK	OK	OK		
		4C36NA(2/3/4)	OK	OK	OK		
		5C42NA(2)	OK	OK	OK		
		8C48NA(2)	OK	OK	OK	OK	OK
		8C60NA(2)	OK	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK				
		3C24NAHZ(2/3/4)	OK	OK			
		3C30NAHZ(2/3/4)	OK	OK	OK		
		4C36NAHZ(2)	OK	OK	OK	OK	OK
		5C42NAHZ(2)	OK	OK	OK	OK	OK
	8C48NAHZ(2)	OK	OK	OK	OK	OK	
	SMART MULTI	SM36NAM(2)	OK	OK	OK	OK	OK
		SM48NAM(2)	OK	OK	OK	OK	OK
		SM60NAM(2)	OK	OK	OK	OK	OK
		SM36NAMHZ(2)	OK	OK	OK	OK	OK
		SM42NAMHZ(2)	OK	OK	OK	OK	OK
SM48NAMHZ(2)		OK	OK	OK	OK	OK	

¹ When connecting multi-position unit(s), see additional information as shown in Application Note 1039 to ensure correct design and selection.

P-SERIES 3'X3' CEILING CASSETTE

PLA-BA

Outdoor Unit/Indoor Unit		PLA-A12BA	PLA-A18BA	PLA-A24BA	PLA-A30BA	PLA-A36BA	PLA-A42BA	
MXZ-	C-Series	2C20NA(2/3/4)						
		3C24NA(2/3/4)		OK				
		3C30NA(2/3/4)		OK	OK			
		4C36NA(2/3/4)		OK	OK			
		5C42NA(2)		OK	OK			
		8C48NA(2)	OK	OK	OK	OK	OK	
		8C60NA(2)	OK	OK	OK	OK	OK	
		2C20NAHZ(2/3/4)						
		3C24NAHZ(2/3/4)		OK				
		3C30NAHZ(2/3/4)		OK	OK			
		4C36NAHZ(2)	OK	OK	OK	OK	OK	
		5C42NAHZ(2)	OK	OK	OK	OK	OK	
	8C48NAHZ(2)	OK	OK	OK	OK	OK		
	SMART MULTI	SM36NAM(2) ¹	OK	OK	OK	OK	OK	
		SM48NAM(2)	OK	OK	OK	OK	OK	
		SM60NAM(2)	OK	OK	OK	OK	OK	
		SM36NAMHZ(2)	OK	OK	OK	OK	OK	
		SM42NAMHZ(2)	OK	OK	OK	OK	OK	
SM48NAMHZ(2)		OK	OK	OK	OK	OK		

PLA-EA7

Outdoor Unit/Indoor Unit		PLA-A12EA7	PLA-A18EA7	PLA-A24EA7	PLA-A30EA7	PLA-A36EA7	PLA-A42EA7	
MXZ-	C-Series	2C20NA(2/3/4)						
		3C24NA(2/3/4)		OK				
		3C30NA(2/3/4)		OK				
		4C36NA(2/3/4)		OK				
		5C42NA(2) ¹		OK				
		8C48NA(2) ³	OK	OK	OK	OK	OK	
		8C60NA(2) ³	OK	OK	OK	OK	OK	
		2C20NAHZ(2/3/4)						
		3C24NAHZ(2/3/4)		OK				
		3C30NAHZ(2/3/4)		OK				
		4C36NAHZ(2) ¹	OK	OK	OK	OK	OK	
		5C42NAHZ(2) ²	OK	OK	OK	OK	OK	
	8C48NAHZ(2) ³	OK	OK	OK	OK	OK		
	SMART MULTI	SM36NAM(2) ¹	OK	OK	OK	OK	OK	
		SM48NAM(2) ³	OK	OK	OK	OK	OK	
		SM60NAM(2) ³	OK	OK	OK	OK	OK	
		SM36NAMHZ(2) ¹	OK	OK	OK	OK	OK	
		SM42NAMHZ(2) ²	OK	OK	OK	OK	OK	
SM48NAMHZ(2) ³		OK	OK	OK	OK	OK		

¹ When any number of PLA-A-EA7 units are connected, the maximum number of allowable connected indoor units decreases to 3

² When any number of PLA-A-EA7 units are connected, the maximum number of allowable connected indoor units decreases to 4

³ When any number of PLA-A-EA7 units are connected, the maximum number of allowable connected indoor units decreases to 6

P-SERIES CEILING-SUSPENDED

PCA-KA7

Outdoor Unit/Indoor Unit		PCA-A24KA7	PCA-A30KA7	PCA-A36KA7	PCA-A42KA7
MXZ-	C-Series	2C20NA(2/3/4)			
		3C24NA(2/3/4)			
		3C30NA(2/3/4)	OK		
		4C36NA(2/3/4)	OK		
		5C42NA(2)	OK		
		8C48NA(2)			
		8C60NA(2)			
		2C20NAHZ(2/3/4)			
		3C24NAHZ(2/3/4)			
		3C30NAHZ(2/3/4)	OK		
		4C36NAHZ(2)			
		5C42NAHZ(2)			
		8C48NAHZ(2)			
		SMART MULTI	SM36NAM(2)		
	SM48NAM(2)				
	SM60NAM(2)				
	SM36NAMHZ(2)				
	SM42NAMHZ(2)				
	SM48NAMHZ(2)				

P-SERIES HORIZONTAL MID STATIC DUCTED

PEAD-AA7(8)

Outdoor Unit/Indoor Unit		PEAD-A09AA7(8)	PEAD-A12AA7(8)	PEAD-A15AA7(8)	PEAD-A18AA7(8)	PEAD-A24AA7(8)	PEAD-A30AA7(8)	PEAD-A36AA7(8)	PEAD-A42AA7
MXZ-	C-Series	2C20NA(2/3/4)	OK	OK	OK				
		3C24NA(2/3/4)	OK	OK	OK	OK			
		3C30NA(2/3/4)	OK	OK	OK	OK	OK		
		4C36NA2(3)	OK	OK	OK	OK	OK		
		5C42NA2(3)	OK	OK	OK	OK	OK		
		8C48NA(2) ^{1,3}	OK	OK	OK	OK	OK	OK	OK
		8C60NA(2) ^{2,3}	OK	OK	OK	OK	OK	OK	OK
		2C20NAHZ(2/3/4)	OK	OK	OK				
	3C24NAHZ(2/3/4)	OK	OK	OK	OK				
	3C30NAHZ(2/3/4)	OK	OK	OK	OK	OK			
	4C36NAHZ(2) ^{1,3}	OK	OK	OK	OK	OK	OK	OK	
	5C42NAHZ(2) ^{1,3}	OK	OK	OK	OK	OK	OK	OK	
	8C48NAHZ(2) ^{1,3}	OK	OK	OK	OK	OK	OK	OK	
	SMART MULTI	SM36NAM(2) ^{1,3}	OK	OK	OK	OK	OK	OK	OK
		SM48NAM(2) ^{1,3}	OK	OK	OK	OK	OK	OK	OK
		SM60NAM(2) ^{2,3}	OK	OK	OK	OK	OK	OK	OK
		SM36NAMHZ(2) ^{1,3}	OK	OK	OK	OK	OK	OK	OK
		SM42NAMHZ(2) ^{1,3}	OK	OK	OK	OK	OK	OK	OK
SM48NAMHZ(2) ^{1,3}		OK	OK	OK	OK	OK	OK	OK	

¹ A branch box can only have a maximum of 3 PEAD units. If 3 PEAD units are connected to the 1 branch box, then additional units cannot be connected to the same branch box

² A branch box can only have a maximum of 2 PEAD units. When connecting any number of PEAD units, the total connected capacity should not exceed 100%

³ Please refer to Application Note 1039 for more information and exceptions to these rules

P-SERIES intelli-HEAT™ CASED COIL

PAA-(A/B/C)A1

Outdoor Unit/Indoor Unit		PAA-A18AA1	PAA-A18BA1	PAA-A24AA1	PAA-A24BA1	PAA-A30AA1	PAA-A30BA1	PAA-A36BA1	PAA-A36CA1	PAA-A42BA1	PAA-A42CA1	
MXZ-	C-Series	2C20NA3(4)										
		3C24NA3(4) ^{1, 2, 7}	OK	OK								
		3C30NA3(4) ^{1, 2, 7}	OK	OK	OK	OK						
		4C36NA3(4) ^{1, 2, 7}	OK	OK	OK	OK						
		5C42NA3(4) ^{1, 2, 7}	OK	OK	OK	OK						
		2C20NAHZ3(4)										
		3C24NAHZ3(4) ^{1, 2, 7}	OK	OK								
	3C30NAHZ3(4) ^{1, 2, 7}	OK	OK	OK	OK							
	SMART MULTI	SM36NAM(2) ^{3, 6, 7}	OK	OK	OK	OK	OK	OK	OK	OK		
		SM48NAM(2) ^{5, 6, 7}	OK	OK	OK	OK	OK	OK	OK	OK		
		SM60NAM(2) ^{2, 5, 6, 7}	OK	OK	OK	OK	OK	OK	OK	OK		
		SM36NAMHZ(2) ^{3, 6, 7}	OK	OK	OK	OK	OK	OK	OK	OK		
		SM42NAMHZ(2) ^{4, 6, 7}	OK	OK	OK	OK	OK	OK	OK	OK		
		SM48NAMHZ(2) ^{5, 6, 7}	OK	OK	OK	OK	OK	OK	OK	OK		

¹ A maximum of 2 PAA units can be connected

² When connecting any number of PAA units, the total connected capacity must not exceed 100%

³ When any number of PAA units are connected, the maximum number of allowable connected indoor units decreases to 3

⁴ When any number of PAA units are connected, the maximum number of allowable connected indoor units decreases to 4

⁵ When any number of PAA units are connected, the maximum number of allowable connected indoor units decreases to 6

⁶ The maximum total piping length depends on the number of PAA indoor units available (refer to the PAA installation manual for further detail)

⁷ If only PAA units are connected with no other indoor unit type connected to the system, there must be a minimum total piping length of 33 Ft. from the outdoor unit to each of the PAA units

BRANCH BOX

		MXZ-8C48/60NA MXZ- ¹ C36/42/48NAHZ	MXZ-8C48/60NA2 MXZ- ¹ C36/42/48NAHZ2	MXZ-SM36/48/60NAM(2) MXZ-SM36/42/48NAMHZ(2)
Compatibility	PAC-MKA30/50BC	✓	✓	✓
	PAC-MKA31/51BC			
	PAC-MKA32/52BC	✓	✓	✓
	PAC-MKA33/53BC			
Cut out	PAC-MKA30/50BC	✗	✗	✗
	PAC-MKA31/51BC			
	PAC-MKA32/52BC	✗	✓	✓
	PAC-MKA33/53BC			
AUX. heating control during cut-out	PAC-MKA30/50BC	✗	✗	✗
	PAC-MKA31/51BC			
	PAC-MKA32/52BC	✗	✓	✓
	PAC-MKA33/53BC			
AUX. heating control during normal operation	PAC-MKA30/50BC	✓	✓	✓
	PAC-MKA31/51BC			
	PAC-MKA32/52BC	✓	✓	✓
	PAC-MKA33/53BC			
Disable/Enable cut-out	PAC-MKA30/50BC	✗	✗	✗
	PAC-MKA31/51BC			
	PAC-MKA32/52BC ¹	✗	✓	✓
	PAC-MKA33/53BC ¹			

¹ To disable cut-out (thermal lockout/restart), set the dipswitch SW4-7 to the "OFF" position

1340 Satellite Boulevard, Suwanee, GA 30024
Toll Free: 800-433-4822 www.mehvac.com

